

Solid Core Doors

Product overview:

Australian Architectural Fire Doors supply & manufacture a variety of Solid Core Doors & can design and produce door sets to suit your specific needs, all made to current Australian Standards.

We supply tested & approved components including closers, latching hardware, and fire-rated glass view windows.

Design options:

1. Core Material

- Solid Core
- Hollow Core
- LVL Core

2. Internal Timber Frame


- 30mm all round

3. Hardwood External Edge Strips

- 12mm all round
- 12mm vertical edges only
- No edge strip

4. Face Material

- MDF
- Plywood
- Select veneer
- Laminate facing



Metal Cladding

Doors sheeted both faces & capped all edges

- | | |
|----------------|--------------------|
| • 1.1mm ZA | • 1.2mm 304 2B SSS |
| • 1.2mm GAL | • 1.2mm 304 #4 SSS |
| • 0.6mm C/Bond | • 1.2mm 316 2B SSS |
| | • 1.2mm 316 #4 SSS |

Optional Extras

Lead Lining for Radiation Doors

Vision panels

Air grille preparations


Drop Seal preparations

Internal Solid Core Door

Recommended for internal applications only.

MDF or PLY facings available as a standard option.

**For information regarding size & thickness, please contact a company representative*



Australian Standards:



AAFD Solid Core doors are manufactured in accordance with Australian Standard AS 2688 "Timber Doors"

External LVB Core Door

Recommended for internal & external applications.

MDF or PLY facings available.

**For information regarding size & thickness, please contact a company representative*



Australian Standards:



AAFD Solid Core doors are manufactured in accordance with Australian Standard AS 2688 "Timber Doors"

Semi-Solid Hollow Core Door

Manufactured with 90 – 100mm solid timber internal stiles & rails for internal applications only.

MDF or PLY facings available.

**For information regarding size & thickness, please contact a company representative*



Australian Standards:

AAFD Solid Core doors are manufactured in accordance with Australian Standard AS 2688 "Timber Doors"

